

01.2025



WIREWORLD[®]
CABLE TECHNOLOGY

Engineered for Reality™



PRZEWODY HDMI

STARLIGHT 48 OPTICAL HDMI (SOH)



II-VI American Lasers
Silicon-Line German chipset
UHS Certified Ultra 8K / 48Gbps
Ethernet / eARC / HDR / HDCP2.3
UL-CL2/FT4 inwall rated



	5 m	10 m	15 m	20 m	30 m
	1 599	1 799	1 999	2 249	2 749

STELLAR 48 OPTICAL HDMI (STH)



VIVIDTECH NR System
II-VI American Lasers
Silicon-Line German chipset
UHS Certified Ultra 8K / 48Gbps
Ethernet / eARC / HDR / HDCP2.3
UL-CLP/FT6 commercial inwall rated



	5 m	10 m	15 m	20 m	30 m
	2 499	2 749	2 999	3 249	3 749

RADIUS 48 HDMI (RAH)



OFC conductors
Triple-shielded design
COMPOSILEX 3 insulation
Ethernet / eARC / HDR
UHS Certified Ultra 8K / 48Gbps



	0,6 m	1 m	2 m	3 m	5 m
	179	199	249	299	499

SPHERE 48 HDMI (SPH)



OFC conductors
Uni-Path Design
COMPOSILEX 3 insulation
Ethernet / eARC / HDR
Ultra 8K / 48G / HDCP2.3



	0,6 m	1 m	2 m	3 m	5 m
	299	349	449	549	949

SILVER SPHERE 48 HDMI (SSP)



Silver-clad OFC conductors
Uni-Path Design
COMPOSILEX 3 insulation
Ethernet / eARC / HDR
Ultra 8K / 48G / HDCP2.3



	0,6 m	1 m	2 m	3 m	5 m
	1 249	1 499	1 999	2 499	-

PLATINUM STARLIGHT 48 HDMI (PSH)



Solid Silver conductors
Uni-Path Design
COMPOSILEX 3 insulation
Isolated & Filtered Power Conductor
Ultra 8K / 48G / eARC / HDR / HDCP2.3



	0,6 m	1 m	2 m	3 m	5 m
	3 999	4 999	7 499	9 999	-




**ETHERNET
STREAMING**

CHROMA 10 TWINAX ETHERNET (CHE)



23AWG Oxygen-Free Copper
COMPOSILEX 5 insulation
Tite-Shield™ triple-shielded twinax design
Precision 100 ohm impedance



	1 m	2 m	3 m	dodatkowy metr
	599	729	849	130

STARLIGHT 10 TWINAX ETHERNET (STE)



23AWG Silver-clad Oxygen-Free Copper
COMPOSILEX 5 insulation
Tite-Shield™ triple-shielded twinax design
Precision 100 ohm impedance



	1 m	2 m	3 m	dodatkowy metr
	1 579	1 949	2 329	380

PLATINUM STARLIGHT 10 TWINAX ETHERNET (PSE)



23AWG OCC-7N solid silver
COMPOSILEX 5 insulation
Tite-Shield™ triple-shielded twinax design
Precision 100 ohm impedance



	1 m	2 m	3 m	dodatkowy metr
	4 999	7 999	10 999	3 000



USB AUDIO

CHROMA 8 USB2.0 A to B (C2AB)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Oxygen-Free Copper
COMPOSILEX 3 insulation



	0,3 m	0,6 m	1 m	2 m	3 m
			149	199	239

CHROMA 8 USB2.0 C to B (C2CB)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Oxygen-Free Copper
COMPOSILEX 3 insulation



	0,3 m	0,6 m	1 m	2 m	3 m
			169		

CHROMA 8 USB3.1 C to C (C31C)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Oxygen-Free Copper
COMPOSILEX 3 insulation



	0,3 m	0,6 m	1 m	2 m	3 m
			169		

STARLIGHT 8 USB2.0 A to B (S2AB)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Silver-Clad OFC
COMPOSILEX 3 insulation



	0,3 m	0,6 m	1 m	2 m	3 m
			549	649	749

STARLIGHT 8 USB2.0 C TO B (S2CB)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Silver-Clad OFC
COMPOSILEX 3 insulation



	0,3 m	0,6 m	1 m	2 m	3 m
			549	649	749

STARLIGHT 8 USB3.1 C to C (S31C)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Silver-Clad OFC
COMPOSILEX 3 insulation



	0,3 m	0,6 m	1 m	2 m	3 m
			699	899	

PLATINUM STARLIGHT 8 USB2.0 A to B (P2AB)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Solid Silver
COMPOSILEX 3 insulation
Carbon Fiber plugs



	0,3 m	0,6 m	1 m	2 m	3 m
	2 299	2 599	2 999	3 999	4 999

PLATINUM STARLIGHT 8 USB2.0 C to A (P2CA)



Uni-Path Design
Isolated & Filtered Power Conductor
Precision 90-ohm impedance
Solid Silver
COMPOSILEX 3 insulation
Carbon Fiber plugs



	0,3 m	0,6 m	1 m	2 m	3 m
			2 999		



WIREWORLD
CABLE TECHNOLOGY


**COAXIAL
DIGITAL**

(75 ohms, RCA plugs, BNC's optional)

CHROMA 10 (CRV)



Oxygen-Free Copper
COMPOSILEX 5 insulation
24K gold / OFC contacts
75-ohm DNA Helix
25 AWG



	0,5 m	1 m	dodatkowy metr
	189	199	30

ULTRAVIOLET 10 (UVV)



silver-plated OFC
COMPOSILEX 5 insulation
24K gold / OFC contacts
75-ohm DNA Helix
25 AWG



	0,5 m	1 m	dodatkowy metr
	379	399	50

STARLIGHT 10 (STV)



silver-clad OFC
COMPOSILEX 5 insulation
silver-clad OFC contacts
75-ohm DNA Helix
26 AWG



	0,5 m	1 m	dodatkowy metr
	599	699	200

SILVER STARLIGHT 10 (SSV)



OCC-7N silver-clad copper
COMPOSILEX 5 insulation
silver-clad OFC contacts
75-ohm DNA Helix
24 AWG




	0,5 m	1 m	dodatkowy metr
	1 499	1 749	500

GOLD STARLIGHT 10 (GSV)



Solid Silver
COMPOSILEX 5 insulation
silver-clad OFC contacts
75-ohm DNA Helix
24 AWG



	0,5 m	1 m	dodatkowy metr
	2 499	3 499	2 000

PLATINUM STARLIGHT 10 (PSV)



OCC-7N solid silver
COMPOSILEX 5 insulation
silver-clad OFC contacts
Carbon Fiber plugs
75-ohm DNA Helix
22 AWG



	0,5 m	1 m	dodatkowy metr
	6 249	9 999	7 500



WIREWORLD

BALANCED DIGITAL
AUDIO CABLES

(110-ohm, XLR female to XLR male)

MICRO-ECLIPSE 10 (MEA)



OCC-7N Copper
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
110-ohm Tri-DNA Helix
26 AWG



	1 m	dodatkowy metr
	1 049	300

MICRO-SILVER ECLIPSE 10 (MSA)



OCC-7N Silver-Clad conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
110-ohm Tri-DNA Helix
26 AWG



	1 m	dodatkowy metr
	1 599	600

MICRO-PLATINUM ECLIPSE 10 (MPA)



OCC-7N solid silver conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
110-ohm Tri-DNA Helix
26 AWG



	1 m	dodatkowy metr
	2 999	1 750

PLATINUM STARLIGHT 10 (PSA)



OCC-7N solid silver conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
110-ohm Tri-DNA Helix
22 AWG



	1 m	dodatkowy metr
	9 249	7 500



**TOSLINK OPTICAL
DIGITAL AUDIO**

MICRO-ECLIPSE 10 (MEA)

338 borosilicate glass fibers



	0,5 m	1 m	2 m	3 m	5 m	8 m
	1 299	1 449	1 749	2 049	2 649	3 549

SUPERNOVA Toslink to 3.5mm connector (SMO)

338 borosilicate glass fibers



	0,5 m	1 m	2 m	3 m	5 m	8 m
	1 299	1 449	1 749			

NOVA Toslink Optical (NTO)

Acrylic monofilament



	0,5 m	1 m	2 m	3 m	5 m	8 m
	179	199	249	299	349	

NOVA Toslink to 3.5mm connector (NMO)

Acrylic monofilament



	0,5 m	1 m	2 m	3 m	5 m	8 m
	179	199	249	299		



AUDIO
INTERCONNECT

Stream 10 (STI) RCA to RCA



Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
24K gold / brass contacts
Dual DNA Helix design / 25 AWG




	0,5 m	0,75 m	1 m	dodatkowy metr
	149		179	20

LUNA 10 (LUI) RCA to RCA



Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
24K gold / OFC contacts
Tri DNA Helix design / 23 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	329		349	25

SOLSTICE 10 (SOI) RCA to RCA



Silver-plated OFC conductors
COMPOSILEX 5 insulation
24K gold / OFC contacts
Tri DNA Helix design / 23 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	439		499	60

OASIS 10 (OAI) RCA to RCA



Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Tri DNA Helix design / 21 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	699		799	100

EQUINOX 10 (EQI) RCA to RCA



OCC-7N copper conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Tri DNA Helix design / 21 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	1 049		1 349	300

ECLIPSE 10 (ECI) RCA to RCA



OCC-7N copper conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Quad DNA Helix design / 18 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	2 149	2 479	2 799	650

SILVER ECLIPSE 10 (SEI) RCA to RCA



OCC-7N silver-clad copper
COMPOSILEX 5 insulation
silver-clad OFC contacts
Quad DNA Helix design / 18 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	2 999	3 629	4 249	1 250

GOLD ECLIPSE 10 (GEI) RCA to RCA



Solid silver conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Quad DNA Helix design / 18 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	5 749	7 629	9 499	3 750

PLATINUM ECLIPSE 10 (PEI) RCA to RCA



OCC-7N solid silver conductors
COMPOSILEX 5 insulation
carbon fiber plugs / silver-clad OFC contacts
Quad DNA Helix design / 17 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	11 499	15 499	19 499	8 000

LUNA 10 (LBI) XLR to XLR



Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Tri DNA Helix design / 26 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	479		499	25

SOLSTICE 10 (BSI) XLR to XLR



Silver-plated OFC conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Tri DNA Helix design / 26 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	559		619	60

OASIS 10 (OBI) XLR to XLR



Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Tri DNA Helix design / 24 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	799		899	100

EQUINOX 10 (QBI) XLR to XLR



OCC-7N copper conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Tri DNA Helix design / 24 AWG




	0,5 m	0,75 m	1 m	dodatkowy metr
	1 049		1 349	300

ECLIPSE 10 (EBI) XLR to XLR



OCC-7N copper conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Quad DNA Helix design / 21 gauge AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	2 149	2 479	2 799	650

SILVER ECLIPSE 10 (SBI) XLR to XLR



OCC-7N silver-clad copper
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Quad DNA Helix design / 21 gauge AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	2 999	3 629	4 249	1 250

(XLR female to XLR male)

GOLD ECLIPSE 10 (GBI) XLR to XLR



Solid silver conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Quad DNA Helix design / 21 gauge AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	5 749	7 629	9 499	3 750

PLATINUM 10 ECLIPSE (BPI) XLR to XLR



OCC-7N solid silver conductors
COMPOSILEX 5 insulation
silver-clad copper alloy contacts
Quad DNA Helix cable / 20 AWG



	0,5 m	0,75 m	1 m	dodatkowy metr
	11 499	15 499	19 499	8 000



AUDIO
INTERCONNECT
Z UZIEMIENIEM

LUNA 10 (LUI-G) RCA to RCA w/ GROUND

Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
24K gold / OFC contacts
Tri DNA Helix design / 23 AWG



	1 m	dodatkowy metr
	449	25

SOLSTICE 10 (SOI-G) RCA to RCA w/ GROUND

Silver-plated OFC conductors
COMPOSILEX 5 insulation
24K gold / OFC contacts
Tri DNA Helix design / 23 AWG



	1 m	dodatkowy metr
	599	60

OASIS 10 (OAI-G) RCA to RCA w/ GROUND

Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Tri DNA Helix design / 21 AWG



	1 m	dodatkowy metr
	899	100

EQUINOX 10 (EQI-G) RCA to RCA w/ GROUND

OCC-7N copper conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Tri DNA Helix design / 21 AWG



	1 m	dodatkowy metr
	1 449	300

ECLIPSE 10 (ECI-G) RCA to RCA w/ GROUND

OCC-7N copper conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Quad DNA Helix design / 18 AWG



	1 m	dodatkowy metr
	2 899	650

SILVER ECLIPSE 10 (SEI-G) RCA to RCA w/ GROUND

OCC-7N silver-clad copper
COMPOSILEX 5 insulation
silver-clad OFC contacts
Quad DNA Helix design / 18 AWG




	1 m	dodatkowy metr
	4 349	1 250

GOLD ECLIPSE 10 (GEI-G) RCA to RCA w/ GROUND



Solid silver conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Quad DNA Helix design / 18 AWG



	1 m	dodatkowy metr
	9 599	3 750

PLATINUM ECLIPSE 10 (PEI-G) RCA to RCA w/ GROUND



OCC-7N solid silver conductors
COMPOSILEX 5 insulation
carbon fiber plugs / silver-clad OFC contacts
Quad DNA Helix design / 17 AWG



	1 m	dodatkowy metr
	19 599	8 000



WIREWORLD

SUBWOOFEROWE

Stream 10 (SIM)



Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
24K gold / brass contacts
Dual DNA Helix design / 25 AWG



	4 m	6 m	8 m	dodatkowy metr
	159	189		20

LUNA 10 Subwoofer Cable (LSM)



Oxygen-Free Copper conductors
COMPOSILEX 5 insulation
24K gold / OFC contacts
Tri DNA Helix design / 23 AWG



	4 m	6 m	8 m	dodatkowy metr
	249	299	349	25

SOLSTICE 10 Subwoofer Cable (SSM)



Silver-plated OFC conductors
COMPOSILEX 5 insulation
24K gold / OFC contacts
Tri DNA Helix design / 23 AWG



	4 m	6 m	8 m	dodatkowy metr
	419	539	659	60

OASIS 10 Subwoofer Cable (OSM)



Silver-plated OFC conductors
COMPOSILEX 5 insulation
24K gold / OFC contacts
Tri DNA Helix design / 23 AWG



	4 m	6 m	8 m	dodatkowy metr
	729	929	1129	100

EQUINOX 10 Subwoofer Cable (ESM)



OCC-7N copper conductors
COMPOSILEX 5 insulation
silver-clad OFC contacts
Tri DNA Helix design / 21 AWG



	4 m	6 m	8 m	dodatkowy metr
	1 579	2 179	2 779	300



MINI JACK


MINI JACK na MINI JACK

(3.5mm stereo mini jack na 2 RCA plugs lub 3.5mm na 3.5mm)

I-WORLD AUDIO CABLE



Oxygen-Free Copper
HDPE insulation
24K gold-plated contacts
coaxial design




	1 m	1,5 m	2 m	3 m	dodatkowy metr
		99			

PULSE MINI JACK



Oxygen-Free Copper
COMPOSILEX 2 insulation
24K gold-plated contacts
DNA Helix design




	1 m	1,5 m	2 m	3 m	dodatkowy metr
	179	199	219	259	40

NANO-ECLIPSE MINI JACK



COMPOSILEX 2 insulation
silver-clad alloy 3.5mm contact
silver-clad OFC RCA contacts
DNA Helix design




	1 m	1,5 m	2 m	3 m	dodatkowy metr
	879	999	1 129	1 379	250

NANO-SILVER ECLIPSE MINI JACK



OCC-7N silver-clad copper
COMPOSILEX 2 insulation
silver-clad alloy 3.5mm contact
silver-clad OFC RCA contacts
DNA Helix design



	1 m	1,5 m	2 m	3 m	dodatkowy metr
	1 129	1 379	1 629	2 129	500

NANO-PLATINUM ECLIPSE MINI JACK



OCC-7N solid silver
COMPOSILEX 2 insulation
silver-clad alloy 3.5mm contact
silver-clad OFC RCA contacts
DNA Helix design



	1 m	1,5 m	2 m	3 m	dodatkowy metr
	2 229	2 849	3 479	4 729	1 250



GRAMOFONOWE

LUNA 10 (LUT/LBT/LUI-G)

Oxygen Free (OFC) conductors



	1 m	dodatkowy metr
	899	25

SOLSTICE 10 (SOT/BST/SOR)

Silver-plated OFC conductors



	1 m	dodatkowy metr
	1 119	60

MICRO-ECLIPSE 10 (ECT/EBT/ERT)

OCC-7N copper conductors



	1 m	dodatkowy metr
	2 099	300

MICRO-SILVER ECLIPSE 10 (SET/SBT/SRT)

OCC-7N silver-clad copper conductors



	1 m	dodatkowy metr
	2 699	600

MICRO-PLATINUM ECLIPSE 10 (PET/BPT/PRT)

OCC-7N solid silver conductors



	1 m	dodatkowy metr
	5 999	1 750



GŁOŚNIKOWE

HORIZON (HOS)



16 AWG/1.25mm²
2 flat oxygen-free copper conductors
Flexi-Flat design
gold/silver/OFC spades or bananasy




	2 m	2,5 m	3 m	dodatkowy metr
	349	379	399	30

STREAM 10 (STS)



16 AWG/1.25mm²
oxygen-free copper conductors
Dual DNA Helix design - COMPOSITEX 5 insulation
gold/silver/OFC spades or bananasy



	2 m	2,5 m	3 m	dodatkowy metr
	579	629	669	50

HELICON 16x OFC (HES)



16 AWG/1.25mm²
oxygen-free copper conductors
Dual DNA Helix design - COMPOSITEX 5 insulation
gold/silver/OFC spades or bananasy



	2 m	2,5 m	3 m	dodatkowy metr
	509	549	589	40

HELICON 16x OCC (HCS)



16 AWG/1.25mm²
OCC-7N copper conductors
Dual DNA Helix design - COMPOSITEX 5 insulation
silver-clad OFC spades or bananasy




	2 m	2,5 m	3 m	dodatkowy metr
	1 149	1 329	1 499	180

LUNA 10 (LUS)



14 AWG/2mm²
oxygen-free copper conductors
Quad DNA Helix design - COMPOSITEX 5 insulation
gold/silver/OFC spades or bananasy



	2 m	2,5 m	3 m	dodatkowy metr
	829	899	969	70

SOLSTICE 10 (SOS)



13 AWG/2.5mm²
oxygen-free copper conductors
Quad DNA Helix design - COMPOSITEX 5 insulation
gold/silver/OFC spades or bananasy




	2 m	2,5 m	3 m	dodatkowy metr
	959	1 049	1 139	90

OASIS 10 (OAS)



11 AWG/4mm²
oxygen-free copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas



	2 m	2,5 m	3 m	dodatkowy metr
	2 199	2 379	2 549	180

EQUINOX 10 (EQS)



11 AWG/4mm²
OCC-7N copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas





	2 m	2,5 m	3 m	dodatkowy metr
	4 299	4 999	5 699	700

MINI ECLIPSE 10 (MES)



13 AWG/2.5mm²
OCC-7N copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas



	2 m	2,5 m	3 m	dodatkowy metr
	3 499	3 999	4 499	500

ECLIPSE 10 (ECS)



9 AWG/6mm²
OCC-7N copper conductors
Octo DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas



	2 m	2,5 m	3 m	dodatkowy metr
	10 499	12 249	13 999	1 750

SILVER ECLIPSE 10 (SES)



9 AWG/6mm²
OCC-7N silver-clad copper conductors
Octo DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas



	2 m	2,5 m	3 m	dodatkowy metr
	20 499	24 749	28 999	4 250

PLATINUM ECLIPSE 10 (PES)



8 AWG/8mm²
OCC-7N solid silver conductors
Octo DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas




	2 m	2,5 m	3 m	dodatkowy metr
	116 499	144 499	172 499	28 000

LUNA 10 (LUB)



14 AWG/2mm²
oxygen-free copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
gold/silver/OFC spades or bananas



	2 m	2,5 m	3 m	dodatkowy metr
	1 029	1 099	1 169	70

SOLSTICE 10 (SOB)



13 AWG/2.5mm²
oxygen-free copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
gold/silver/OFC spades or bananas




	2 m	2,5 m	3 m	dodatkowy metr
	1 159	1 249	1 339	90

OASIS 10 (OAB)



11 AWG/4mm²
oxygen-free copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas



	2 m	2,5 m	3 m	dodatkowy metr
	2 699	2 879	3 049	180

EQUINOX 8 (EQB)



11 AWG/4mm²
OCC-7N copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas





	2 m	2,5 m	3 m	dodatkowy metr
	4 799	5 499	6 199	700

MINI ECLIPSE 10 (MEB)



13 AWG/2.5mm²
OCC-7N copper conductors
Quad DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas




	2 m	2,5 m	3 m	dodatkowy metr
	3 999	4 499	4 999	500

ECLIPSE 10 (ECB)



9 AWG/6mm²
OCC-7N copper conductors
Octo DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas




	2 m	2,5 m	3 m	dodatkowy metr
	11 499	13 249	14 999	1 750

SILVER ECLIPSE 10 (SEB)



9 AWG/6mm²
OCC-7N silver-clad copper conductors
Octo DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas




	2 m	2,5 m	3 m	dodatkowy metr
	21 499	25 749	29 999	4 250

PLATINUM ECLIPSE 10 (PEB)



8 AWG/8mm²
OCC-7N solid silver conductors
Octo DNA Helix design - COMPOSILEX 5 insulation
silver-clad OFC spades or bananas



	2 m	2,5 m	3 m	dodatkowy metr
	117 499	145 499	173 499	28 000

OASIS Biwire Jumpers



4 sztuki

549

EQUINOX Biwire Jumpers



4 sztuki

749

ECLIPSE Biwire Jumpers



4 sztuki

999

SILVER ECLIPSE Biwire Jumpers



4 sztuki

1249

GOLD ECLIPSE Biwire Jumpers



4 sztuki

1499

PLATINUM ECLIPSE Biwire Jumpers



4 sztuki

2999



ZASILAJAÇE

STRATUS 10 Power Cord (STP)



12 AWG/3mm²
oxygen-free copper conductors
Fluxfield cable design - COMPOSILEX 5 insulation
silver-clad copper alloy plugs



	1 m	1,5 m	2 m	3 m	dodatkowy metr
	649	779	899	1 149	250

AURORA 10 Power Cord (AUP)



12 AWG/3mm²
silver-clad OFC conductors
Fluxfield cable design - COMPOSILEX 5 insulation
silver-clad copper alloy plugs



	1 m	1,5 m	2 m	3 m	dodatkowy metr
	899	1 099	1 299	1 699	400

ELECTRA 10 Power Cord (ELP)



12 AWG/3mm²
OCC-7N copper conductors
Fluxfield cable design - COMPOSILEX 5 insulation
silver-clad copper alloy plugs



	1 m	1,5 m	2 m	3 m	dodatkowy metr
	1 549	1 979	2 399	3 249	850

SILVER ELECTRA 10 Power Cord (SEP)



12 AWG/3mm²
OCC-7N silver-clad copper conductors
Fluxfield cable design - COMPOSILEX 5 insulation
silver-clad copper alloy plugs



	1 m	1,5 m	2 m	3 m	dodatkowy metr
	2 629	3 319	3 999	5 359	1 380

PLATINUM ELECTRA 10 Power Cord (PEP)



12 AWG/3mm²
OCC-7N solid silver conductors
Fluxfield cable design - COMPOSILEX 5 insulation
OCC silver-clad copper contacts



	1 m	1,5 m	2 m	3 m	dodatkowy metr
	11 999	15 999	19 999	27 999	8 000

STRATUS 10 Shielded Mini Power Conditioning Cord (MSP)



16 AWG / 1.25mm²
oxygen-free copper conductors
Fluxfield cable design - COMPOSITEX 5 insulation
silver-clad copper alloy plugs



	1 m	1,5 m	2 m	3 m
	349	399	449	579

ELECTRA 10 Shielded Mini Power Conditioning Cord (MEP)



16 AWG / 1.25mm²
OCC-7N copper conductors
Fluxfield cable design - COMPOSITEX 5 insulation
silver-clad copper alloy plugs



	1 m	1,5 m	2 m	3 m
	799	999	1199	1599



AKCESORIA

POWER CORD CONNECTOR UPGRADE



15 AMP IEC C13

- Silver-clad copper alloy contacts | • Flat clamp for STP / AUP / ELP / SEP only
- Standard lengths my be upgrfaded with this connector | • All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above.

	1 szt.
	299



- Silver-clad copper alloy contacts | • Flat clamp for STP / AUP / ELP / SEP only
- Standard lengths my be upgrfaded with this connector | • All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above.

	1 szt.
	299



20 AMP IEC C19

- Silver-clad copper alloy contacts | • Flat clamp for STP / AUP / ELP / SEP only
- Standard lengths my be upgrfaded with this connector | • All custom length cords and standard length upgraded cords will be priced according to the custom pricing chart above.

	1 szt.
	299



- OCC 7N Silver-clad contacts
- Flat clamp for PEP
- All Platinum Electa Power Cord are assembled with these connectors
- Available for European Schuko and US wall plugs

	1 szt.
	599



- OCC 7N Silver-clad contacts
- Flat clamp for PEP
- All Platinum Electa Power Cord are assembled with these connectors
- Available for European Schuko and US wall plugs

	1 szt.
	599

POWER STRIP MATRIX 2



OFC, star-wired, rack mountable, shielded power cord extender

	599
--	-----

UNI-TERM SOCKET



	1 szt.
	20

GOLD BANANAS FOR EXCHANGE



	1 szt.
	29

SILVER BANANAS FOR EXCHANGE



	1 szt.
	39

GOLD SPADES FOR EXCHANGE



	1 szt.
	29

SILVER SPADES FOR EXCHANGE



	1 szt.
	39

1/4 INCH (6.3mm) UNI-TERM SPADE LUGS



GOLD-PLATED OFC
1/4" SPADE
Threaded for UNI-TERM and CRIMPABLE

	1 szt.
	29

1/4 INCH (6.3mm) UNI-TERM SPADE LUGS



SILVER-CLAD OFC
1/4" SPADE
Threaded for UNI-TERM and CRIMPABLE

	1 szt.
	39

Gold Crimpable Banana Pair with vinyl boots (Red and Black)



	szt.
	25

Gold Crimpable Universal Spade Pair with vinyl boots (Red and Black)



	szt.
	25

Gold Set-Screw Banana with ABS Shell (Red and White print)



	szt.
	25

Silver Crimpable Banana Pair with vinyl boots (Red and Black)



	szt.
	40

GOLD 10ga.

SET SCREW / BANANA (50-pack)
Gold / Silver / Copper Alloy



	50 szt.
	64

GOLD 10ga.

SET SCREW / BANANA (50-pack)
NO SHELL, NO FERRULE
Gold / Silver / Copper Alloy



	50 szt.
	32

	Gold Tube RCA for LUI / SOI / CRV / UW	1 szt.	49		
	Silver Tube RCA for OAI / EQI / STV	1 szt.	69		
	Silver Tube RCA for ECI / SEI / GEI / SSV / GSV	1 szt.	139		
	Silver Tube Carbon Fiber RCA for PEI / PSV	1 szt.	299		
	XLR for OBI & QBI	1 szt.	79		
	XLR Reference	1 szt.	149		
	Mini Jack 8.5mm opening small diameter shell	1 szt.	59		
	RJ45 ETHERNET PLUG Field termination shrink included	1 szt.	99		
	PROGOLD (2ml. squeeze tube) Improves performance		DEOXIT (2ml. squeeze tube) cleans contacts thoroughly	1 szt.	49